Serial No.: 10/743,344

Filed: December 23, 2003

Page : 3 of 15

## Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

## **Listing of Claims**:

1. (Currently amended)) An <u>electronic device having an</u> electronic circuit <del>characterized by</del> comprising:

a driving element including a plurality of transistors;

wherein the plurality of transistors [[is]] <u>are</u> connected in series when inputting current <u>as</u> a <u>first step</u> and the plurality of transistors [[is]] <u>are</u> connected in parallel when outputting current <u>as a second step</u>.

2. (Currently amended) An <u>electronic device having an</u> electronic circuit <del>characterized by comprising:</del>

a driving element including a plurality of transistors;

wherein the electronic circuit has means to switch between a series connection state and a parallel connection state of the plurality of transistors; and

wherein the electronic circuit amplifies an inputted current for output.

3. (Currently amended) An <u>electronic device having an</u> electronic circuit which amplifies an inputted current when outputted, <del>characterized by omprising</del> comprising:

a driving element including a plurality of transistors; and

a switch,

wherein each gate of the plurality of transistors is connected to each other;

wherein at least one of a source or a drain of each of the plurality of transistors is connected to a source or a drain of another transistor of the plurality of transistors; and

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 4 of 15

wherein the plurality of transistors can be connected either in series or parallel by switching over the switch switches the plurality of transistors between a series connection state and a parallel connection state.

4. (Currently amended) An <u>electronic device having an</u> electronic circuit <del>characterized in by</del> comprising:

n transistors; and

a first and a second switch,

wherein gates of the n transistors are connected electrically;

either of sources or drains of the n transistors are electrically connected to the first switch respectively;

another of sources or drains of the n transistors are electrically connected to the second switch respectively;

when a current is inputted to the electronic circuit, as for a  $k^{th}$  transistor (k=2 to less than n) in the n transistors, a current flows through a  $(k-1)^{th}$  transistor to a  $(k+1)^{th}$  transistor via the  $k^{th}$  transistor; and

when the current is outputted in the electronic circuit, as for the [[kth]]  $\underline{k}^{th}$  transistors, the current flows from the side connected to the second switch to the side connected to the first switch.

- 5. (Currently amended) The electronic eireuit device according to claim 1, eharacterized in that wherein the plurality of transistors are either all p-channel type or n-channel type.
- 6. (Currently amended) The electronic eircuit device according to claim 1, eharacterized in that wherein channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.

Attorney's Docket No.: 12732-201001 / US6877 Applicant: Kazutaka Inukai

Serial No.: 10/743,344

Filed : December 23, 2003

Page : 5 of 15

(Currently amended) The electronic eireuit device according to claim 1, 7. characterized in that wherein the plurality of transistors are TFTs.

- (Currently amended) An integrated circuit characterized in by using the electronic 8. circuit according to claim 1 The electronic device according to claim 1, wherein the electronic circuit is included in an integrated circuit.
  - 9. (Currently amended) A system circuit characterized by using: the electronic circuit according to claim 1,

wherein the system circuit is formed over a glass substrate The electronic device according to claim 1, wherein the electronic circuit is included in a system circuit and is formed over a glass substrate.

## 10. (Cancelled)

- (Currently amended) The electronic device according to claim 10, characterized 11. in that 1, wherein the electronic device is one selected from the group consisting of a monitor, a video camera, a digital camera, a goggle type display, a navigation system, an audio component system, a car audio, a personal computer, a game machine, a mobile computer, a portable phone, a portable game machine, an electronic book, and an image reproduction device provided with a recording medium.
  - (Currently amended) A personal computer comprising: 12. a body, a housing,

an external connecting port,

and an electronic circuit having a driving element, characterized in that wherein the driving element comprises a plurality of transistors, and

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 6 of 15

that wherein the plurality of transistors are in a series connection state when a current is inputted and in a parallel connection state when a current is outputted electronic circuit has means to switch between a series connection state and a parallel connection state of the plurality of transistors.

13. (Currently amended) A personal computer comprising:

a body,

a housing,

an external connecting port, and

an electronic circuit having a driving element, characterized in that

wherein the electronic circuit comprises a driving element provided with a plurality of transistors and a switch,

that wherein the electronic circuit amplifies an inputted current for output,

that each gate wherein gates of the plurality of transistors [[is]] are connected to each other,

wherein at least one of a source or a drain of each of the plurality of transistors is connected to a source or a drain of another transistor of the plurality of transistors that at least one of a source and a drain of each of the plurality of transistors is connected to a source or a drain of other one of the plurality of transistors, and

that the plurality of transistors are in a series connection state or a parallel connection state by a switching over of wherein the switch switches the plurality of transistors between a series connection state and a parallel connection state.

- 14. (Currently amended) The personal computer according to claim 12, characterized in that wherein the personal computer comprises a display portion.
- 15. (Currently amended) The personal computer according to claim 12, characterized in that wherein the electronic circuit is included in a display portion.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 7 of 15

16. (Currently amended) The personal computer according to claim 12, <del>characterized</del> wherein the personal computer comprises a keyboard and a pointing mouse.

- 17. (Currently amended) The electronic eireuit device according to claim 2, eharacterized in that wherein the plurality of transistors are either all p-channel type or n-channel type.
- 18. (Currently amended) The electronic eireuit device according to claim 3, eharacterized in that wherein the plurality of transistors are either all p-channel type or n-channel type.
- 19. (Currently amended) The electronic eireuit device according to claim 4, eharacterized in that wherein the plurality of transistors are either all p-channel type or n-channel type.
- 20. (Currently amended) The electronic eireuit device according to claim 2, eharacterized in that wherein channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.
- 21. (Currently amended) The electronic eireuit device according to claim 3, eharacterized in that wherein channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.
- 22. (Currently amended) The electronic eireuit device according to claim 4, eharacterized in that wherein channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 8 of 15

23. (Currently amended) The electronic eircuit device according to claim 2, eharacterized in that wherein the plurality of transistors are TFTs.

- 24. (Currently amended) The electronic eireuit <u>device</u> according to claim 3, eharacterized in that <u>wherein</u> the plurality of transistors are TFTs.
- 25. (Currently amended) The electronic eireuit device according to claim 4, eharacterized in that wherein the plurality of transistors are TFTs.
- 26. (Currently amended) An integrated circuit characterized in by using the electronic eircuit according to claim 2 The electronic device according to claim 2, wherein the electronic circuit is included in an integrated circuit.
- 27. (Currently amended) An integrated circuit characterized in by using the electronic eircuit according to claim 3. The electronic device according to claim 3, wherein the electronic circuit is included in an integrated circuit.
- 28. (Currently amended) An integrated circuit characterized in by using the electronic eircuit according to claim 4. The electronic device according to claim 4, wherein the electronic circuit is included in an integrated circuit.
- 29. (Currently amended) An integrated circuit characterized in by using the electronic eircuit according to claim 5 The personal computer according to claim 12, wherein the electronic circuit is included in an integrated circuit.
- 30. (Currently amended) An integrated circuit characterized in by using the electronic circuit according to claim 6 The personal computer according to claim 13, wherein the electronic circuit is included in an integrated circuit.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 9 of 15

## 31. (Cancelled)

32. (Currently amended) A system circuit characterized by using: the electronic circuit according to claim 2,

wherein the system circuit is formed over a glass substrate The electronic device according to claim 2, wherein the electronic circuit is included in a system circuit and is formed over a glass substrate.

33. (Currently amended) A system circuit characterized by using: the electronic circuit according to claim 3,

wherein the system circuit is formed over a glass substrate The electronic device according to claim 3, wherein the electronic circuit is included in a system circuit and is formed over a glass substrate.

34. (Currently amended) A system circuit characterized by using: the electronic circuit according to claim 4,

wherein the system circuit is formed over a glass substrate The electronic device according to claim 4, wherein the electronic circuit is included in a system circuit and is formed over a glass substrate.

35. (Currently amended) A system circuit characterized by using: the electronic circuit according to claim 5,

wherein the system circuit is formed over a glass substrate The personal computer according to claim 12, wherein the electronic circuit is included in a system circuit and is formed over a glass substrate.

36. (Currently amended) A system circuit characterized by using:

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 10 of 15

the electronic circuit according to claim 6,

wherein the system circuit is formed over a glass substrate The personal computer according to claim 13, wherein the electronic circuit is included in a system circuit and is formed over a glass substrate.

37-43. (Cancelled)

- 44. (Currently amended) The personal computer according to claim 13, characterized in that wherein the personal computer comprises a display portion.
- 45. (Currently amended) The personal computer according to claim 13, <del>characterized</del> in that wherein the electronic circuit is included in a display portion.
- 46. (Currently amended) The personal computer according to claim 13, <del>characterized</del> wherein the personal computer comprises a keyboard and a pointing mouse.